AD-A252 531

WRDC-TR-90-8007 Volume V Part 29

S ELECTE JUN1 5 1992



INTEGRATED INFORMATION SUPPORT SYSTEM (IISS)
Volume V - Common Data Model Subsystem
Part 29 - Data Aggregators Product Specification

M. Apicella, J. Slaton, B. Levi

Control Data Corporation Integration Technology Services 2970 Presidential Drive Fairborn, OH 45324-6209

September 1990

Final Report for Period 1 April 1987 - 31 December 1990

Approved for Public Release; Distribution is Unlimited

MANUFACTURING TECHNOLOGY DIRECTORATE
WRIGHT RESEARCH AND DEVELOPMENT CENTER
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OHIO 45433-6533

92-15336

## NOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever, regardless whether or not the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data. It should not, therefore, be construed or implied by any person, persons, or organization that the Government is licensing or conveying any rights or permission to manufacture, use, or market any patented invention that may in any way be related thereto.

This technical report has been reviewed and is approved for publication.

This report is releasable to the Mational Technical Information Service (MTIS). At MTIS, it will be available to the general public, including foreign nations

DAVID L. JUDSON, Project Manager WRIDC/MTI/

Wright-Patterson AFB, OH 45433-6533

FOR THE COMMANDER:

BRUCE A. RASMUSSEN, Chief

WRDC/MTI

Wright-Patterson AFB, OH 45433-6533

25 July 9/ DATE / 9/

If your address has changed, if you wish to be removed form our mailing list, or if the addressee is no longer employed by your organization please notify WRDC/MTI, Wright-Patterson Air Force Base, OH 45433-6533 to help us maintain a current mailing list.

Copies of this report should not be returned unless return is required by security considerations, contractual obligations, or notice on a specific document.

## SECURITY CLASSIFICATION OF THIS PAGE

REP	ORT DOCUMEN	TATION PAG	E			1
1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTI	VE MARKINGS	3		
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT		1		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			or Public Releas is Unlimited.	se;		<u> </u>
4. PERFORMING ORGANIZATION REPORT N PS 620341320	IUMBER(S)		G ORGANIZAT -90-8007 Vol.		ORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION Control Data Corporation; Integration Technology Services	6b. OFFICE SYMBOL (if applicable)	7a. NAME OF M WRDC/MT		ORGANIZA	TION	•
6c. ADDRESS <i>(City,State, and ZIP Code)</i> 2970 Presidential Drive Fairborn, OH 45324-6209		7b. ADDRESS WPAFB, O	(City, State, and H 45433-6533	d ZIP Code	)	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Wright Research and Development Center, Air Force Systems Command, USAF	Bb. OFFICE SYMBOL (if applicable) WRDC/MTI	9. PROCUREM F33600-87		ENT IDEN	TIFICATION NUM.	
		10. SOURCE OF FL. 'DING NOS.			1	
8c. ADDRESS (City, State, and ZIP Code) Wright-Patterson AFB, Ohio 45433-6533		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT NO.	
11. TITLE See block 1	9	78011F	595600	F95600	20950607	
Final Report 4/1/87-12  16. SUPPLEMENTARY NOTATION	RED 14. DATE OF		o.,Day)	15. PAG	GE COUNT 40	
WRDC/MTI Project Priority 6203	SUBJECT TERMS (C	Cartinus as a source	. // management   20	ad idaatib. k	plack as I	
	SOBJECT LEHMS (C	Onunua On raverse	ii iiecessaiy ai	io ioeniny c	Acession I	pr
FIELD GROUP SUB GR.					NTIS CRAMI	
	and the sale beauty				PRIC PAR	.]
19. ABSTRACT (Continue on reverse if necessary and identify block number)  This specification establishes the design of the "Aggregator Functions", one of the major functions of the Configuration Item "Common Data Model Processor (CDMP)" to be built and formally accepted						
by the ICAM program office.  BLOCK 11:					Distribution	1
INTEGRATED INFORMATION SUPPORT SYSTEM Vol V - Common Data Model Subsystem  Availability  Availability  Dist Spec			y Cod			
Part 29 - Data Aggregators	Product Speci	fication			H-1	
20. DISTRIBUTION/AVAILABILITY OF ABSTRA	СТ	21. ABSTRACT S	ECURITY CLA	SSIFICATION	ON	T
UNCLASSIFIED/UNLIMITED x SAME AS RPT. DTIC USERS Unclassified						
22a. NAME OF RESPONSIBLE INDIVIDUAL 22b. TELEPHONE NO. (Include Area Code)						
David L. Judson	(513) 255-7371		WRD	C/MTI		

EDITION OF 1 JAN 73 IS OBSOLETE

#### **FOREWORD**

This technical report covers work performed under Air Force Contract F33600-87-C-0464, DAPro Project. This contract is sponsored by the Manufacturing Technology Directorate, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio. It was administered under the technical direction of Mr. Bruce A. Rasmussen, Branch Chief, Integration Technology Division, Manufacturing Technology Directorate, through Mr. David L. Judson, Project Manager. The Prime Contractor was Integration Technology Services, Software Programs Division, of the Control Data Corporation, Dayton, Ohio, under the direction of Mr. W. A. Osborne. The DAPro Project Manager for Control Data Corporation was Mr. Jimmy P. Maxwell.

The DAPro project was created to continue the development, test, and demonstration of the Integrated Information Support System (IISS). The IISS technology work comprises enhancements to IISS software and the establishment and operation of IISS test bed hardware and communications for developers and users.

The following list names the Control Data Corporation subcontractors and their contributing activities:

SUBCONTRACTOR	ROLE
Control Data Corporation	Responsible for the overall Common Data Model design development and implementation, IISS integration and test, and technology transfer of IISS.
D. Appleton Company	Responsible for providing software information services for the Common Data Model and IDEF1X integration methodology.
ONTEK	Responsible for defining and testing a representative integrated system base in Artificial Intelligence techniques to establish fitness for use.
Simpact Corporation	Responsible for Communication development.
Structural Dynamics Research Corporation	Responsible for User Interfaces, Virtual Terminal Interface, and Network Transaction Manager design, development, implementation, and support.
Arizona State University	Responsible for test bed operations and support.

## TABLE OF CONTENTS

		<u>P:</u>	age
SECTION	1.0 1.1 1.2	SCOPE	1-1
SECTION	2.0 2.1 2.2	DOCUMENTS	2-1
SECTION	3.0 3.1 3.2 3.3 3.3.1 3.4 3.5 3.6 3.7 3.7.1 3.7.1.1 3.7.1.2 3.7.1.3 3.8 3.9 3.10 3.10.1 3.10.2 3.10.3 3.10.4 3.10.5 3.10.6 3.11	Structural Description Functional Flow Interfaces Inputs/Outputs Program Interrupts Timing and Sequencing Description Special Control Features Storage Allocation Database Definition File Description Table Description Item Description Object Code Creation Adaptation Data Detail Design Description Where Include File Used List Where External Routine Used List Main Program Parts List Module Documentation Include File Description Hierarchy Chart Program Listings Comments	3-1 3-1 3-2 3-2 3-2 3-3 3-3 3-3 3-3 3-3
SECTION	4.0 4.1 4.2	QUALITY ASSURANCE PROVISIONS	4-1

#### SECTION 1

#### SCOPE

## 1.1 Identification

This specification establishes the design of the "Aggregator Functions", one of the major functions of the Configuration Item "Common Data Model Processor (CDMP)" to be built and formally accepted by the ICAM Program Office. This CI constitutes one of the subsystems of the Common Data Model Processor (CDM).

## 1.2 Functional Summary

The purpose of this Computer Program Configuration Item (CPCI) is to aggregate the query output files and produce the result file of the aggregation.

The following functions are performed by all four aggregators.

- This CPCI receives and unpacks a message from the Network Transaction Manager and builds the appropriate tables that contain the descriptions of the files that are to be aggregated (except the NOT IN SET aggregator).
- A sort is performed on both input files based on the key(s) of each file.
- 3. Individual Aggregator Functions:
  - a. UNION: The Union Aggregator does a sort/merge to combine the two files into the result file. The sort/merge is based on ascending values with a compare between each key in each file. The result file contains the combined input files.
  - b. NOT IN SET: The NIS Aggregator compares the two sorted input files based on the keys and determines if any key value from the first input file is in the second input file. If true, then the record from the first input file is discarded and the compare continues looking for file 1 keys that do not match file 2 keys. The results file contains input file 1 records that do not match.
  - c. Join: The Join Aggregator combines two sorted input files based on the keys and determines if the key value from the first input file is equal to the keys in second input file. If false, then the record is discarded. If true, the record is used to form the result file.
  - d. OUTERJOIN: The Outer Join combines two sorted files based on the keys and determines if the key value from the first input file is equal to the keys in

PS 620341320 30 September 1990

the second input file. If true, both records are used to form the results file. If false, fields from the first record are used and null values are used for fields from the second record.

- 4. The results of each aggregator are written to a result file described in the initial message.
- 5. The aggregators send a completion message to the NTM containing the status of the aggregation, the name of the result file and the count of the records in the file.

#### SECTION 2

#### **DOCUMENTS**

## 2.1 Reference Documents

- 1. ICAM Documentation Standards: IDS15012000A, 28 December 1981.
- 2. D. Appleton Co, CDM Administrators Manual: UM620141000, March 1984.
- 3. D. Appleton Co., <u>CDM1-IDEF1 Model of the Common Data Model; CCS620141000</u>, 15 May 1985.
- 4. D. Appleton Co., Computer Program Development
  Specification (DS) for Integrated Support System (IISS)
  Configuration Item: NDML Precompiler; DS620141200,
  October 1984.
- 5. D. Appleton Co., Embedded NDML Programmer's Reference Manual: PRM620141200, March 1985.
- 6. Softech, Inc., NTM Programmer's Guide: UM620140001, July 1984
- 7. Control Data Corporation, Computer Program Development Specification (DS) for ICAM Integrated Support System (IISS) Configuration Item: NDDL Command Processor: DS620141100, June 1985.

## 2.2 Terms and Abbreviations

Attribute Use Class: (AUC)

Conceptual Schema: (CS)

Common Data Model Processor: (CDMP)

Common Data Model: (CDM) Describes common data application process formats, form definitions, etc., of the IISS and includes conceptual schema, external, internal schemas, and schema transformation operators.

<u>Data Field:</u> (DF) An element of data in the external schema. It is by this name that an NDML programmer reference data.

Database Management System: (DBMS)

<u>Distributed Request Supervisor:</u> (DRS) This IISS CDM subsystem configuration item controls the execution of distributed NDML queries and non distributed updates.

<u>Domain:</u> A logical definition of legal attribute class values.

<u>Domain Constraint:</u> Predicate that applies to a single domain.

## External Schema: (ES)

Forms: Structured views which may be imposed on windows or other forms. A form is composed of fields where each field is a form, item, or window.

Forms Processor: (FP) A set of callable execution time routimes available to an application program for form processing.

#### Internal Schema: (IS)

Integrated Information Support System;: (IISS) A test computing environment used to investigate, demonstrate, and test the concepts of information management and information integration in the context of Aerospace Manufacturing. The IISS addresses the problems of integration of data resident on heterogeneous databases supported by heterogeneous computers interconnected via a local Area Netwrok.

Mapping: The correspondence of independent objects in two schemas: ES to Cs or CS to IS.

Network Transaction Manager: (NTM) Performs the coordination, communication, and housekeeping functions required to integrate the application processes and system services resident on the various hosts into a cohesive system.

Neutral Data Manipulation Language: (NDML) A language developed by the IISS project to provide uniform access to common data, regardless of database manager or distribution criteria. It provides distributed retrieved and single node updates.

ORACLE: Relational DBMS based on the SQL (Structured Query Language, a product of ORACLE Corp., Menlo Park, CA). The CDM is an ORACLE database.

<u>Parcel</u>: A sequential file containing sections source code of the input application program.

Request Processor: (RP) A COBOL program that will satisfy a retrieval or update NDML subtransaction against a particular Database Management System.

<u>User Interface:</u> (UI) Controls the user's terminal and interfaces with the rest of the system.

<u>Virtual Terminal Interface:</u> (VTI) Performs the interfacing between different terminals and the UI. This is done by defining a specific set of terminal features and protocols which must be supported by UI software which constitutes the Virtual Terminal Definition. Specific terminals are then mapped against the Virtual Terminal software by specific software modules written for each type of real terminal supported.

## SECTION 3

#### REQUIREMENTS

## 3.1 Structural Description

The graphic portrayal of this CPCI is included in Section 3.10. This chart shows the hierarchical relationship of each module making up this CPCI.

All Aggregators use the lower level module to handle specific operations. An example of this type of operation is the sort/merge utility to combine two input files, open, read, write, and close the files and also comparing the key fields in each file.


#### 3.2 Functional Flow


This CPCI implemented the logic defined in the Development Specification for this CPCI. Details of inputs/outputs and relationships between modules are found in Section 3.10.

This CPCI has been designated to operate in a batch or interactive mode. It must operate in the system environment established for IISS; that is, the Network Transaction Manager. It currently can only be executed on the DEC VAX due to the dependence on the VAX sort although this has been identified for change for execution on the IBM.

## 3.3 Interfaces

The following diagram depicts the interface of the Aggregator and the other CPCI's.





## 3.3.1 Inputs/Outputs

The following table shows the inputs and outputs of this CPCI. A detailed description for each item can be found in the DS for this CPCI.

INPUT	OUTPUT	
UNION: Input File Names Attribute Pair List (Keys) Results Field Table (Key Desc)	Result File Name Status	
NOT IN SET: Input File Names Attribute Pair List Results Field Table for Each Input File Results Field Table for Results File	Result File Name Status Number of Records in Result File	
OUTER JOIN: Input File Names Attribute Pair List (Keys) Results Field Table for each Input File Results Field Table for Results File	Result File Name Status Number of Records in Result File	
JOIN: Input File Names Attribute Pair List (Keys) Results Field Table for each Input File Results Field Table for Results File	Result File Name Status Number of Records in Result File	

## 3.4 Program Interrupts

Not applicable to this CPCI.

## 3.5 Timing and Sequencing Description

This CPCI is activated for each aggregation called for by the distributed request supevisor (DRS).

## 3.6 Special Control Features

Not applicable to this CPCI.

## 3.7 Storage Allocation

## 3.7.1 Database Definition

The database used by this CPCI is the Common Data Model (CDM) database. The model is defined by the CDM1, the IDEF1 model of the CDM, Reference Document Number 3.

## 3.7.1.1 File Description

No permanent files have been defined for this CPCI. It may use temporary scratch files for input and output results.

## 3.7.1.2 Table Description

All tables used by this CPCI have been defined by the Development Specification for this CPCI.

## 3.7.1.3 Item Description

Not applicable to this CPCI.

## 3.8 Object Code Creation

The object code for this CPCI will be created by the system integration team using defined IISS Software Configuration Management procedures. This CPCI will use the COBOL and C language compilers.

#### 3.9 Adaptation Data

This CPCI has been using ANSI COBOL and a "standard" subset of the C language. The intent was to provide a transportable system. Any system environment supporting these languages, a virtual memory management schema, the COMM and NTM subsystems of IISS and the ORACLE Database Management System should be able to localize and identify any machine or environment dependent modules through the original design of the IISS and application of Configuration Management Procedures.

## 3.10 <u>Detail Design Description</u>

The following sections have been computer generated for this CPCI.

## 3.10.1 Where Include File Used List

The following lists each include file in the documentation group and all the modules documented in this specification which include them. The purpose of each module is listed as well.

## DOCGROUP PS41320 Where-include-file-used List

Include File	Module Name
RFTABLE	
	CDJ01 CDJS1 CDNS1 CDOJ1 CDOJS1 CDU01 CDUS1
AGGMSG	CDJ01 CDJS1 CDNS1 CDOJ1 CDOJS1
	CDJ01 CDOJ1 CDU01
STDRESP	CDJ01 CDOJ1 CDU01
ERRCDM	CDJ01 CDJS1 CDNS1 CDOJ1 CDOJS1 CDU01 CDUS1

## DOCGROUP PS41320 Where-include-file-used List

Include File	Module Name
	CDJ01 CDJS1 CDMPSOR CDNS1 CDOJ1 CDOJS1 CDU01
SRVRET	CDUS1  CDJ01  CDOJ1  CDU01
ERRPRO	CDJ01 CDJS1 CDMPSOR CDNS1 CDOJ1 CDOJS1 CDU01 CDUS1
ERRFS	CDJS1 CDMPSOR CDNS1 CDOJS1 CDUS1

## 3.10.2 Where External Routine Used List

The following lists each external function or routine in the documentation group and all the documented modules which call it. The purpose of each module is listed as well.

# DOCGROUP PS41320 Where-external-routine-used List

System Module	Module Name
INITAL	CDJ01 CDOJ1
RCV	CDU01 CDJ01
SIGERR	CDOJ1 CDU01
	CDJ01 CDOJ1 CDU01
NSEND	CDJ01 CDOJ1 CDU01
TRMNAT	CDJ01 CDOJ1 CDU01
ERRPRO NAMFIL	CDJ01 CDJS1 CDMPSOR CDNS1 CDOJ1 CDOJS1 CDU01 CDUS1
NWAL TH	CDJS1

## DOCGROUP PS41320 Where-external-routine-used List

System Module	Module Name
OPNFIL	CDNS1 CDOJS1
VINI ID	CDJS1 CDNS1 CDOJS1
AGGCDN	CDUS1
TNDETT	CDJS1 CDNS1 CDOJS1
INPFIL	CDJS1 CDNS1
	CDOJS1
SEKFIL	CDUS1
OTIMETT	CDJS1 CDOJS1
OUTFIL	CDJS1 CDNS1 CDOJS1 CDUS1
CLSFIL	CDJS1 CDNS1 CDOJS1 CDUS1
SRTFIL	CDMPSOR

## DOCGROUP PS41320 Where-external-routine-used List

System Module Name

LIB\$INDEX

**CHREAL** 

## 3.10.3 Main Program Parts List

The following lists each Main Program in the documentation group and all the modules which are called either by that module itself or by any of the documented modules which it calls. It is possible for a non-main module to be listed more that once if it is called by multiple modules. The called modules, in this case known as program parts, are marked as to whether they are documented here. If so, the phrase "well-defined module" appears by the module name, if not it is an "external "routine". The Purpose of the Main Program module is listed as well.

# DOCGROUP PS41320 Main Program Parts List

Main Pgm	Module	Module
Name	Name	Туре
CDJ01		
	INITAL	External routine
	RCV	External routine
	SIGERR	External routine
	CDJS1	Well-defined module
	NSEND	External routine
	TRMNAT	External routine
	ERRPRO	External routine
CDJS1		
	ERRPRO	External routine
	NAMFIL	External routine
	CDMPSOR	Well-defined module
	OPNFIL	External routine
	AGGCDN	External routine
	INPFIL	External routine
	SEKFIL	External routine
	OUTFIL	External routine
	CLSFIL	External routine
CDMPSOR		
	ERRPRO	External routine
	SRTFIL	External routine
CDNS1		
	ERRPRO	External routine
	NAMFIL	External routine
	CDMPSOR	External routine
	OPNFIL	External routine
	AGGCDN	External routine
	INPFIL	External routine
	OUTFIL	External routine
	CLSFIL	External routine
CDOJ1		

## DOCGROUP PS41320 Main Program Parts List

Main Pgm	Module	Module
Name	Name	Type
	INITAL	External routine
	RCV	External routine
	SIGERR	External routine
	NSEND	External routine
	TRMNAT	External routine
	ERRPRO	External routine
	CDOJS1	Well-defined module
CDOJS1		
	ERRPRO	External routine
	NAMFIL	External routine
	CDMPSOR	External routine
	OPNFIL	External routine
	AGGCDN	External routine
	INPFIL	External routine
	SEKFIL	External routine
	OUTFIL	External routine
	CLSFIL	External routine
CDU01		
	INITAL	External routine
	RCV	External routine
	SIGERR	External routine
	NSEND	External routine
	TRMNAT	External routine
	ERRPRO	External routine
	CDUS1	Well-defined module
CDUS1		adamida modato
00001	ERRPRO	External routine
	OPNFIL	External routine
	INPFIL	External routine
	OUTFIL	External routine
	CLSFIL	External routine
		precinal routine

## DOCGROUP PS41320 Main Program Parts List

Main Pgm Module Module Name Name Type

CHREAL

External routine LIBSINDEX

CHRINT RELFTN

## 3.10.4 Module Documentation

The following documentation describes information which is specific to each individual module in the documentation group being documented in this specification. It provides a compact way of getting information that would be otherwise buried within each module's source code.

The specific items in this module documentation have the following meanings:

Name of program Module. NAME:

PURPOSE: Purpose of Module as detailed in the

source code.

LANGUAGE: Programming language source code is

written in.

The choices are:

VAX-11 FORTRAN

(I/S-1 Workbench 'C')

VAX-11 CÒBÓL

Whether a Program, Subroutine, or MODULE TYPE:

Function.

SOURCE FILE: Name of Source File from file

specification.

SOURCE FILE TYPE: Source File Extension from file

specification.

HOST: Whether this is a host-dependent

routine (VAX or IBM) or blank if

host-independent.

SUBSYSTEM: IISS sub-system this file resides in.

Sub-directory of that subsystem in which this file resides. SUBDIRECTORY:

DOCUMENTATION GROUP: Name of documentation group of which

this source file is a member.

A description of the module as otained DESCRIPTION:

from the source code.

The arguments with which this routine is called if it is a Subroutine or a **ARGUMENTS:** 

Function.

INCLUDE FILES: A list of all the files that are

included into this module as well as

their purposes.

ROUTINES CALLED: Subroutines or Functions, either

documented or external, called by

this module, if any.

The documented routines which call CALLED DIRECTLY BY:

this module, if any.

USED IN MAIN PROGRAM(S): The documented Main Programs which

centain this module in their parts list according to the list in section

3.10.3.

The Module Documentation is arranged alphabetically according to Module Name.

#### DOCGROUP PS41320 Module Documentation

NAME: CDJ01

PURPOSE: CDJ01 CONTROLS PROCESSING LOGIC FOR JOIN AGGREGATOR

LANGUAGE: VAX-11 COBOL

SOURCE FILE: CDJ01 SOURCE FILE TYPE: COB

HOST: VAX

SUBSYSTEM: CDM

SUBDIRECTORY: CDMR

## **DESCRIPTION:**

THE OBJECTIVE OF THIS CONFIGURATION ITEM IS TO PERFORM RELATION JOINS UPON INTERMEDIATE RESULTS OF A MULTI-DATABASE TRASNSACTION. IT, ALONG WITH THE DISTRIBUTED REQUEST SUPERVISOR CI AND REQUEST PROCESSORS, PERFORM THE RUN TIME EVALUATION OF COMMANDS PRESENTED TO THEM BY APPLICATION PROCESSES. I B M NOTE

VAX SPECIFIC ITEMS WILL BE MARKED WITH AN IBM COMMENT TO DENOTE CHANGES THAT MUST BE MADE TO HOST THIS MODULE TO THE IBM

MODIFICATION 10/86:

FILE NAMES HAVE BEEN CHANGED FROM 30 TO 80 CHARACTERS TO SUPPORT THE ADDITION OF FILE I/O PRIMITIVES FOR REHOST TO IBM

#### INCLUDE FILES:

------

RFTABLE

APL

**AGGMSG** 

STDRESP

CHKCDM

**ERRCDM** 

SRVRET

**ERRPRO** 

#### ROUTINES CALLED:

------

INITAL RCV

SIGERR

CDJS1

**NSEND** 

TRMNAT

**ERRPRO** 

#### DOCGROUP PS41320 Module Documentation

NAME: CDJS1

PURPOSE: AGGREGATOR JOIN FUNCTION

LANGUAGE: VAX-11 COBOL SOURCE FILE: CDJS1 SOURCE FILE TYPE: COB

HOST: IBM

SUBSYSTEM: CDM

SUBDIRECTORY: CDMR

#### DESCRIPTION:

\*

IBM NOTE

VAX SPECIFIC ITEMS WILL BE MARKED WITH AN IBM COMMENT TO DENOTE CHANGES THAT MUST BE

MADE TO HOST THIS MODULE TO THE IBM

#### **ARGUMENTS:**

AGG-FILE-INPUT-1 DSPLY[X(80)]
AGG-FILE-INPUT-2 DSPLY[X(80)]

JQG-ATTRIBUTE-PAIR-LIST RECRD
RFT RECRD
RFT2 RECRD
RFTR RECRD

STD-RECORD-CNTDSPLY[9(6)]STD-FILENAMEDSPLY[X(80)]STD-STATUSDSPLY[X(5)]

#### INCLUDE FILES: \_\_\_\_\_\_\_\_\_\_\_

CHKCDM

ERRCDM

**ERRFS** 

APL

RFTABLE

**ERRPRO** 

#### ROUTINES CALLED:

AMFIL

CDMPSOR

OPNFIL

**AGGCDN** 

INPFIL

SEKFIL

OUTFIL CLSFIL

**ERRPRO** 

## DOCGROUP PS41320 Module Documentation

NAME: CDMPSOR

PURPOSE: AGGREGATOR SORT ROUTINE

LANGUAGE: VAX-11 COBOL SOURCE FILE: CDMPSOR SOURCE FILE TYPE: COB

HOST:

SUBSYSTEM: CDM SUBDIRECTORY: CDMR

#### DESCRIPTION:

 THE OBJECTIVE OF THIS CONFIGURATION ITEM IS TO SORT THE INPUT FILE THAT MEETS THE QUALIFICATIONS OF THE RECORD "INPUT-FILE"

## MODIFCATION 9/86:

VAX SYSTEM DEPENDANT SORTS WERE REMOVED AND FILE INPUT/OUTPUT PRIMITIVE "SRTFIL" WAS SUBSTITUTED TO SUPPORT REHOST EFFORT

#### **ARGUMENTS:**

INPUT-FILE RECRD

TEMP-FILE-NAME DSPLY[X(80)] MESG-DESC DSPLY[X(60)] RET-STATUS DSPLY[X(5)]

INCLUDE FILES:

-----

ERRCDM

ERRFS ERRPRO

ROUTINES CALLED:

ROOTINES CALLED.

SRTFIL

ERRPRO

#### DOCGROUP PS41320 Module Documentation

NAME: CDNS1

PURPOSE: AGGREGATOR NOT IN SET FUNCTION

LANGUAGE: VAX-11 COBOL

SOURCE FILE: CDNS1 SOURCE FILE TYPE: COB

HOST: IBM

SUBSYSTEM: CDM SUBDIRECTORY: CDMR

## **DESCRIPTION:**

-----

THE OBJECTIVE OF THIS CONFIGURATION ITEM IS TO PERFORM RELATION NOT IN SETS UPON INTERMEDIATE RESULTS OF A MULTI-DATABASE TRANSACTION. IT, ALONG WITH THE DISTRIBUTED REQUEST SUPERVISOR CI AND REQUEST PROCESSORS, PERFORM THE RUN TIME EVALUATION OF COMMANDS PRESENTED TO THEM BY APPLICATION PROCESSES.

- IBM NOTE
- VAX SPECIFIC ITEMS WILL BE MARKED WITH AN IBM COMMENT TO DENOTE CHANGES THAT MUST BE
- MADE TO HOST THIS MODULE TO THE IBM
- THE NOT IN SET AGGREGATOR PERFORMS THE FOLLOWING:
- 1. IT RECEIVES THE INPUT FILE NAMES, APL AND RFT TABLES FOR
- THE TWO OPERAND RELATION AND RESULTANT RELATION.
  2. IT PERFORMS A SORT/COMPARE OPERATION ON THE OPERAND
- RELATION CREATING THE RESULTANT RELATION.
- 3. IT RETURNS VARIABLES TO THE USER AP
- WHICH INCLUDE PROGRAM STATUS, RESULTANT RELATION AND THE NUMBER OF RECORDS IN THE RESULTANT RELATION.

#### **ARGUMENTS:**

\_\_\_\_\_

DSPLY[X(80)] USER-AP-INPUT-1 USER-AP-INPUT-2 DSPLY[X(80)]

JQG-ATTRIBUTE-PAIR-LIST RECRD RFT RECRD RFT2 RECRD

STD-RECORD-CNT DSPLY[9(6)] DSPLY[X(80)] STD-FILENAME DSPLY[X(5)] STD-STATUS

## INCLUDE FILES:

CHKCDM **ERRCDM ERRFS** APL

RFTABLE ERRPRO

#### ROUTINES CALLED:

NAMFIL

**CDMPSOR** 

OPNFIL **AGGCDN** 

INPFIL

OUTFIL

CLSFIL

**ERRPRO** 

DOCGROUP PS41320 Module Documentation

NAME: CDOJ1

PURPOSE: CDOJ1 CONTROLS PROCESSING LOGIC FOR OTJOIN AGGREGATOR

LANGUAGE: VAX-11 COBOL

SOURCE FILE: CDOJ1 SOURCE FILE TYPE: COB

HOST: VAX

SUBSYSTEM: CDM

SUBDIRECTORY: CDMR

#### **DESCRIPTION:**

THE OBJECTIVE OF THIS CONFIGURATION ITEM IS TO PERFORM RELATION OUTER JOINS UPON INTERMEDIATE RESULTS OF A MULTI-DATABASE TRASNSACTION. IT, ALONG WITH THE DISTRIBUTED REQUEST SUPERVISOR CI AND REQUEST PROCESSORS,

PERFORM THE RUN TIME EVALUATION OF COMMANDS PRESENTED TO THEM BY APPLICATION PROCESSES. I B M N O T E VAX SPECIFIC ITEMS WILL BE MARKED WITH AN IBM COMMENT TO DENOTE CHANGES THAT MUST BE MADE TO HOST THIS MODULE TO THE IBM

## INCLUDE FILES:

RFTABLE APL **AGGMSG STDRESP CHKCDM** ERRCDM SRVRET ERRPRO

#### ROUTINES CALLED: \_\_\_\_\_

INITAL

RCV

SIGERR

CDOJS1

**NSEND** 

TRMNAT

**ERRPRO** 

#### DOCGROUP PS41320 Module Documentation

NAME: CDOJS1

PURPOSE: AGGREGATOR OUTER JOIN FUNCTION

LANGUAGE: VAX-11 COBOL SOURCE FILE: CDOJS1 SOURCE FILE TYPE: COB

HOST: IBM

SUBSYSTEM: CDM

SUBDIRECTORY: CDMR

#### **DESCRIPTION:**

IBM NOTE

VAX SPECIFIC ITEMS WILL BE MARKED WITH AN IBM COMMENT TO DENOTE CHANGES THAT MUST BE MADE TO HOST THIS MODULE TO THE IBM

MODIFICATIONS 10/86:

THE FOLLOWING CHANGES HAVE BEEN MADE IN ORDER TO SUPPORT THE ADDITION OF FILE I/O PRIMITIVES FOR REHOST TO IBM: FILE NAMES HAVE BEEN CHANGED FROM 30 TO 80 CHARACTERS

CALLS TO "WHTHST" AND "GENFIL" HAVE BEEN REPLACED WITH CALL TO FILE I/O PRIMITIVE "NAMFIL"

CALL TO FORTRAN "AGGOPEN" HAS BEEN REPLACED WITH CALL TO FILE I/O PRIMITIVE "OPNFIL"

CALL TO FORTRAN "AGGREAD" HAS BEEN REPLACED WITH CALL TO FILE I/O PRIMITIVE "INPFIL"

CALL TO FORTRAN "AGGBSP" HAS BEEN REPLACED WITH CALL TO FILE I/O PRIMITIVE "SEKFIL"

CALL TO FORTRAN "AGGWRIT" HAS BEEN REPLACED WITH CALL TO FILE I/O PRIMITIVE "OUTFIL"

CALL TO FORTRAN "AGGCLOS" AND COBOL "DELFIL" HAVE BEEN REPLACED WITH CALL TO FILE I/O PRIMITIVE "CLSFIL"

3/88 - REMOVED DESCRIPTOR/REFERENCE ON CALL TO AGGCDN.

#### **ARGUMENTS:**

AGG-FILE-INPUT-1 DSPLY[X(80)] AGG-FILE-INPUT-2 DSPLY[X(80)] JQG-ATTRIBUTE-PAIR-LIST RECRD RFT RECRD RFT2 RECRD **RFTR** RECRD DSPLY[9(6)] DSPLY[X(80)] STD-RECORD-CNT STD-FILENAME STD-STATUS DSPLY[X(5)]

# INCLUDE FILES:

CHKCDM

CHICON

ERRCDM

ERRFS

APL

RFTABLE

**ERRPRO** 

## ROUTINES CALLED:

NAMFIL

CDMPSOR

OPNFIL

**AGGCDN** 

INPFIL

SEKFIL

OUTFIL

CLSFIL

**ERRPRO** 

#### DOCGROUP PS41320 Module Documentation

NAME: CDU01

PURPOSE: AGGREGATOR UNION FUNCTION

LANGUAGE: VAX-11 COBOL SOURCE FILE: CDU01 SOURCE FILE TYPE: COB

HOST: VAX SUBSYSTEM: CDM SUBDIRECTORY: CDMR

#### **DESCRIPTION:**

DESCRIPTION.

THE OBJECTIVE OF THIS CONFIGURATION ITEM IS TO PERFORM RELATION UNIONS UPON INTERMEDIATE RESULTS OF A MULTI-DATABASE TRASNSACTION. IT, ALONG WITH THE STAGER/SCHEDULER CI AND QUERY PROCESSORS PERFORM THE RUN TIME EVALUATION OF COMMANDS PRESENTED TO THEM BY APPLICATION PROCESSES. MODIFICATION 10/86: FILE NAME SIZE HAS BEEN INCREASED FROM 30 TO 80 CHARACTERS TO SUPPORT THE ADDITION OF FILE I/O PRIMITIVES USED FOR REHOST TO IBM SYSTEM THE UNION AGGREGATOR PERFORMS THE FOLLOWING: IT RECEIVES AND UNPACKS A MESSAGE FROM THE NTM AND BUILDS APPROPRIATE TABLES FOR THE TWO OPERAND RELATION AND RESULTANT RELATION. 2. A SUBROUTINE (CDUS1) IS THEN CALLED TO PERFORM THE UNION FUNCTION. FILE 2 IS APPENDED TO THE FIRST FILE.

3. IT SENDS A COMPLETION MESSAGE TO THE DISTRIBUTED REQUEST SUPERVISOR WHICH CONTAINS PROGRAM STATUS, THE RESULT FILE NAME, AND A RECORD COUNT OF 1. THE DRS WILL COUNT THE NUMBER OF RECORDS BASED ON THE NUMBER OF RECORDS IN EACH INPUT FILE.

#### INCLUDE FILES:

-----

**RFTABLE** 

AGGMSG

STDRESP

ERRCDM

CHKCDM

SRVRET

**ERRPRO** 

#### ROUTINES CALLED:

INITAL

**RCV** 

SIGERR

CDUS1

**NSEND** 

TRMNAT

**ERRPRO** 

## DOCGROUP PS41320 Module Documentation

NAME: CDUS1

PURPOSE: UNION AGGREGATOR subroutine calls FORTRAN subroutines

LANGUAGE: VAX-11 COBOL SOURCE FILE: CDUS1 SOURCE FILE TYPE: COB

HOST:

SUBSYSTEM: CDM SUBDIRECTORY: CDMR

## **DESCRIPTION:**

MODIFICATION 10/86:

TO SUPPORT ADDITION OF FILE I/O PRIMITIVES NEEDED FOR REHOST TO THE IBM THE FOLLOWING CHANGES HAVE

BEEN MADE. FILE NAMES HAVE BEEN INCREASED FROM 30 TO 80

CHARACTERS

CALL TO "AGGOPEN" HAS BEEN REPLACED BY CALL

TO FILE I/O PRIMITIVE "OPNFIL"

CALL TO "AGGREAD" HAS BEEN REPLACED BY CALL

TO FILE I/O PRIMITIVE "INPFIL"

CALL TO "AGGWRIT" HAS BEEN REPLACED BY CALL

TO FILE I/O PRIMITIVE "OUTFIL"

CALLS TO "AGGCLOS" AND "DELFIL" HAVE BEEN

REPLACED BY CALL TO FILE I/O PRIMITIVE "CLSFIL"

#### ARGUMENTS:

AGG-INPUT1-01

AGG-INPUT2-01 RESULTS-FILE-NAME

RFT

**RET-STATUS** 

DSPLY[X(80)]

DSPLY[X(80)] DSPLY[X(80)]

RECRD

DSPLY[X(5)]

#### INCLUDE FILES:

CHKCDM

**ERRCDM** 

ERRFS

**RFTABLE** 

**ERRPRO** 

#### ROUTINES CALLED:

------

OPNFIL

INPFIL

OUTFIL

CLSFIL

**ERRPRO** 

\*\*

\*\*

#### DOCGROUP PS41320 Module Documentation

NAME: CHREAL

PURPOSE: CHARACTER TO REAL CONVERSIONS

LANGUAGE: VAX-11 FORTRAN

SOURCE FILE: CHREAL SOURCE FILE TYPE: FOR

HOST:

SUBSYSTEM: CDM SUBDIRECTORY: CDMR

DESCRIPTION:

ROUTINES CALLED:

LIB\$INDEX

ARGUMENTS:

STRING CHAR
REALVA R\*4
RC I\*4

#### DOCGROUP PS41320 Module Documentation

NAME: CHRINT

PURPOSE: CHARACTER TO INTEGER CONVERSION

LANGUAGE: VAX-11 FORTRAN

SOURCE FILE: CHRINT SOURCE FILE TYPE: FOR

HOST:

SUBSYSTEM: CDM

SUBDIRECTORY: CDMR

DESCRIPTION:

ARGUMENTS:

STRING CHAR INTGR I\*4 RC I\*4

#### DOCGROUP PS41320 Module Documentation

NAME: RELFTN

PURPOSE: CONVERT REAL NUMBER TO CHARACTER STRING \*\*

LANGUAGE: VAX-11 FORTRAN

SOURCE FILE: RELFTN SOURCE FILE TYPE: FOR

HOST:

SUBSYSTEM: CDM SUBDIRECTORY: CDMR

## **DESCRIPTION:**

------

#### **ARGUMENTS:**

-----

DECMAL I\*4
REALIN R\*4
CHROTL CHAR

## 3.10.5 Include File Descriptions

The following list contains a purpose and description of each include file in the documentation group as specified in the source code. The language it is written in is also given.

DOCGROUP PS41320 Include File Description

FILE NAME: AGGMSG

PURPOSE: AGGREGATOR INPUT MESSAGE

LANGUAGE: VAX-11 COBOL

## DESCRIPTION:

-----

CONTAINS THE FORMAT OF THE INPUT MESSAGE FOR THE CDMP AGGREGATORS

DESCRIPTION :-

AGGREGATOR INPUT MESSAGE FORMAT

NIS = NOT IN SET

#### DOCGROUP PS41320 Include File Description

FILE NAME: APL

PURPOSE: JOIN QUERY AT LANGUAGE: VAX-11 COBOL JOIN QUERY ATTRIBUTE PAIR LIST

DESCRIPTION:

CONTAINS INFORMATION ABOUT THE JOIN ATTRIBUTES FOR NDML SUBTRANSACTIONS

DOCGROUP PS41320 Include File Description

FILE NAME: CHKCDM

PURPOSE: IISS CDMP CHECK STATUS CODES

LANGUAGE: VAX-11 COBOL

**DESCRIPTION:** 

CONTAINS ALL STATUS CODES FOR THE

CDMP MODULES

DOCGROUP PS41320 Include File Description

FILE NAME: ERRCDM


PURPOSE: IISS ERROR STATUS CODES FOR CDMP MODULES


LANGUAGE: VAX-11 COBOL


DESCRIPTION:


CONTAINS ALL ERROR CODES USED BY CDMP


MODULES FOR ERROR HANDLING

























15



16



**AGGCDN** CDJ01..... CDJS1 CDMPSOR CDNS1.... CDOJ1.... CDOJS1 CDU01.... CDUS1 CHREAL.....1 CLSFIL **ERRPRO** INITAL INPFIL LIB\$INDEX NAMFIL **NSEND** OPNFIL OUTFIL **RCV** SEKFIL **SIGERR** SRTFIL

TRMNAT

PS 620341320 30 September 1990

## 3.11 Program Listings Comments

This information is contained in the Module Descriptions in section 3.10.

#### SECTION 4

#### QUALITY ASSURANCE PROVISIONS

## 4.1 Introduction and Definitions

"Testing" is a systematic process that may be preplanned and explicitly stated. Test techniques and procedures may be defined in advance, and a sequence of test steps may be specified. "Debugging" is the process of isolation and correction of the cause of an error.

"Antibugging" is defined as the philosophy of writing programs in such a way as to make bugs less likely to occur and when they do occur, to make them more noticeable to the programmer and the user. In other words, as much error checking as is practical and possible in each routine should be performed.

## 4.2 Computer Programming Test and Evaluation

The quality assurance provisions for test consists of the normal testing techniques that are accomplished during the construction process. They consist of design and code walk-throughs, unit testing, and integration testing. These tests are performed by the design team. Structured design, design walk-through and the incorporation of "antibugging" facilitate this testing by exposing and addressing problem areas before they become coded "bugs."